

NLG Super Bungee Tool Lanyard

Product code: 101419

The NLG Super Bungee Tool Lanyard comfortably stretches over 3 metres allowing for the safe use of heavy tools on platforms when working at height.

With NLG's Super Bungee Tool Lanyard stretching to over 3 metres, no one will ever be able to complain about not having enough reach! It has been developed for users of MEWPs who are using the attachment point in the platform cage or cradle itself.

The NLG Super Bungee Tool Lanyard has exceptionally low resistance to stretching ensuring a high level of comfort and user acceptance. A double action carabiner with a large gate opening guarantees ease of connection and disconnection with a gloved hand. The large webbing loop at the opposite end of the lanyard provides the widest number of options for attachment to tools of varied sizes.

EXPERT TIP: For fixed anchor point use only. This tool lanyard is not designed to be attached directly to the user.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Low recoil force and extra long reach makes it ideal for elevated platform use
- Compact design reduces snagging hazards
- Double action automatic locking carabiner for safer securing
- Extra high strength webbing delivers ultimate peace of mind
- Heavy duty wear protector sleeve provides an additional layer of structural protection
- Faster visual inspections with heavy-duty contrast stitching
- Clever contrast wear indicators ensure early warning of any structural damage
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: Extends 160cm to 340cm
- Max Load: 20KG (44lbs)

MAX LOAD (SWL)

20KG / 44LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 345 Grams

EAN [GTIN-13]: 5060572180307 HTS Code: 5609.00.4000




Third party tested and certified

See the Test Certificate on page 5













Breathe Safety Testing Laboratory

DROP TEST CERTIFICATE

42815DT-NLG-135419

Manufacturer: Max Load (WLL): **PRODUCT**

IDENTIFICATION NLG 20 KG

> Product: Safety Factor:

Super Bungee Tool Lanyard 2:1

Reference: Test Load: 40 KG 101419

TEST TECHNICIAN Signature: Name:

Gary Paterson

Date: Position:

Senior Lab Technician 21-03-17

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service ACCREDITATION CERTIFICATE



Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to $the full\ Accredited\ Laboratory\ Policy.\ This\ report\ may\ not\ be\ reproduced\ without\ authorisation\ from\ the$ $laboratory. \ Any\ deviations\ from\ specific\ test\ methods\ are\ described\ in\ the\ relevant\ section\ of\ the\ report.$

- Fully Equipped Laboratory for CE Type Approval Testing
 Product Trial testing for specific tests
 CE Technical File review and consultancy advice
 CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101419135

01 / Manufacturer

02 / Product

NAME:	NLG
ADDRESS:	6 Mannings Heath Road
	Poole, Dorset, BH12 4NQ
	United Kingdom
	<u> </u>

CODE:	101419
DESCRIPTION:	Super Bungee Tool Lanyard
LOAD RATING:	20 KG / 44 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby Dynamic drop performance testing conducted at 2:1 weight declares that:

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER:	42815DT-NLG-135419
ISSUED BY:	BSTL, Whittle Road
	Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	25 / 04 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go

121101419135

Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions

02 / Product

01 / Manufacturer

NAME:	NLG
ADDRESS:	6 Mannings Heath Road
	Poole, Dorset, BH12 4NQ
	United Kingdom

CODE:	101419
DESCRIPTION:	Super Bungee Tool Lanyard
LOAD RATING:	20 KG / 44 LBS

REFERENCE NUMBER:

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1			
TEST FACILITY:	[Independent third party]		
	BSTL, Whittle Road		
	Ferndown Ind. Estate, BH217RL, UK		
CERTIFICATE NUMBER:	43333DTA-NLG-135466		
DATE:	21-08-18		

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

NAME: Julian Aris

POSITION: Managing Director

DATE: 13 / 09 / 18

Tool Tethering Experts neverletgo.com



Never Let Go



NLG Super Bungee Tool Lanyard Product code: 101419

View online neverletgo.com/ super-bungee-tool-lanyard/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.