

NLG Linesman Bag

Product code: 101421

The Linesman Bag is a versatile tool tethering bag with a complete closure system built in and 8 anchor points for tool lanyards.

The NLG Linesman Bag is a specialist bag that is designed for industrial climbers who need to keep their tools close, easily accessible and securely tethered. It is the bag of choice for those working in the harshest environments with a unique closure system on all openings to secure bag contents and protect against external elements.

The multi-pocket design of the Linesman Bag (two large and two small pockets) combines an array of load-tested attachment points for tool lanyards (4 external tool holders and 8 rings for attachment) with the pocket's innovative bag closures to prevent the risk of accidental spillage in transit. The pocket's closures can be rolled back once in work position to allow easy access.

The Linesman Bag is manufactured using a combination of reinforced PVC and specially developed Mega Mesh™ to create a tough and rot-proof bag. The Quick Connect™ clips on the rear of the bag allow it to be attached to a belt, harness or handrail.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Heavy duty drop prevention closure system ensures tools are contained
- Top rolls neatly out of the way with intelligent Velcro positioning
- Features lightweight hi vis NLG Mega Mesh™ lining for improved internal visibility
- 8 integrated anchor points (5kg each) for multiple tool lanyard attachment
- 4 external tool holders provide full tool tethering setup
- Constructed from heavy duty PVC which is both UV stabilised and mildew resistant
- Structurally engineered to withstand dynamic impact forces
- Easy wipe clean coating makes light work of maintenance
- Drain vents built in to each pocket to keep tool bag ventilated and dry
- Universal fit with Quick Connect™ buckles for easy attachment to belt, harness or rail
- Unique serial number for easy identification and tracking
- CF marked
- Load tested and third party certified (4:1 safety factor)
- Dimensions: 35cm (H) x 30cm (W) x 10cm (D)
- Capacity: 10.5L
- D Ring Anchor Max Load: 5KG (11lbs) Each
- Max Load: 30KG [66lbs]

MAX LOAD (SWL)

30KG / 66LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 905 Grams

EAN (GTIN-13): 5060572180505 HTS Code: 6307.90.9889



Third party tested and certified

See the Test Certificate on page 5















Breathe Safety Testing Laboratory

DROP TEST CERTIFICATE

42817DT-NLG-159421

Manufacturer: **PRODUCT** Max Load (WLL):

IDENTIFICATION NLG 30 KG (D Ring Anchor: 5 KG)

> Product: Safety Factor:

Linesman Bag 5:1 (D Ring Anchor: 2:1)

Reference: Test Load:

150 KG (D Ring Anchor: 10 KG) 101421

TEST TECHNICIAN Signature: Name: Gary Paterson

Date: Position:

23-03-17 Senior Lab Technician

TEST RESULTS *D Ring Anchor Test

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
2	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
3	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*

United Kingdom Accreditation Service ACCREDITATION CERTIFICATE



Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the $laboratory. \ Any\ deviations\ from\ specific\ test\ methods\ are\ described\ in\ the\ relevant\ section\ of\ the\ report.$

- Fully Equipped Laboratory for CE Type Approval Testing
 Product Trial testing for specific tests
 CE Technical File review and consultancy advice
 CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101421159

01 / Manufacturer

02 / Product

NAME:	NLG	
ADDRESS:	6 Mannings Heath Road	
	Poole, Dorset, BH12 4NQ	
	United Kingdom	

CODE:	101421
DESCRIPTION:	Linesman Bag
LOAD RATING:	30 KG / 66 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop perfomance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42817DT-NLG-159421

BSTL, Whittle Road

Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:

NAME: Julian Aris

POSITION: Managing Director

DATE: 25 / 04 / 18

Tool Tethering Experts neverletgo.com



Never Let Go



NLG Linesman Bag Product code: 101421

View online neverletgo.com/linesman-bag/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.