

Product Brief

# NLG Mini Adhesive D Ring

101481



# NLG Mini Adhesive D Ring

Product code: 101481

PRODUCT BRIEF / 101481

The Mini Adhesive D Ring is speedy to apply and gives extreme adhesion on even curved surfaces.

The NLG Mini Adhesive D Ring creates a permanent tether point on items not easily tethered including phones, cameras, radios and other small or sensitive items.

The innovative design of the Mini Adhesive D Ring means it can adhere even to curved profiles and the industrial grade adhesive backing allows it to stick to most surfaces making it ready to use in seconds.

---

## INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

## Specification

- Uses trusted 3M® adhesive technology to create fast sticking tether point
- Ideal for phones, electronic equipment and small tools
- Adheres to most surfaces including curved profiles
- Dynamic load tested and third party certified [2:1 safety factor]
- Dimensions: 30mm x 20mm
- Max Load: 1kg [2.2lbs]

---

### MAX LOAD (SWL)

1KG / 2.2LBS

---

### SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

---

### PRODUCT DATA

Weight: 1 Grams  
EAN (GTIN-13): 5060572180161  
HTS Code: 3926.90.9790



Third party  
tested and  
certified

See the  
Test Certificate  
on page 5







## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42814DT-NLG-118481

#### PRODUCT IDENTIFICATION

Manufacturer:  
NLG

Max Load (WLL):  
1 KG

Product:  
Mini Adhesive D Ring

Safety Factor:  
2 : 1

Reference:  
101481

Test Load:  
2 KG

#### TEST TECHNICIAN

Signature:

Name:  
Gary Paterson

Date:  
20-03-17

Position:  
Senior Lab Technician

#### TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

#### United Kingdom Accreditation Service

##### ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101481118**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101481  
 DESCRIPTION: Mini Adhesive D Ring  
 LOAD RATING: 1 KG / 2.2 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-118481  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





# NLG Mini Adhesive D Ring

Product code: 101481

View online

[neverletgo.com/mini-adhesive-d-ring/](https://neverletgo.com/mini-adhesive-d-ring/)

Get all the Product Briefs

[neverletgo.com](https://neverletgo.com)

**Tool Tethering Experts**

[neverletgo.com](https://neverletgo.com)

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.