

Product Brief

NLG Tall Tool Bag

101492



NLG Tall Tool Bag

Product code: 101492

PRODUCT BRIEF / 101492

The NLG Tall Tool Bag has been designed to keep longer tools safely stored when working at height and provides 6 conveniently integrated anchor points for tool lanyards.

The design of the NLG Tall Tool Bag allows for longer hand tools to be kept safe when working at height. Despite the increased height, there has been a special focus in keeping dimensions of the tool bag ergonomic and comfortable for the user whilst moving around.

The Tall Tool Bag features one large compartment to give the most flexible storage area, with a Velcro locking lid to keep the contents safe while in transit. There is also an external front pocket with an independent closure. Both closures can be rolled back once in work position to allow easy access to your tools.

The 4 external tool holders and 6 integrated D Rings for tool lanyard attachment make this an all-in-one tool bag for working at height.

The Quick Connect™ clips on the rear of the bag allow it to be attached to a belt, harness or handrail swiftly and benefits from a sliding centre strap for adjustability.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Heavy duty drop prevention closure system ensures tools are contained
- Top rolls neatly out of the way with intelligent Velcro positioning
- Features lightweight hi-vis NLG Mega Mesh™ lining for improved internal visibility
- 6 integrated anchor points (5KG each) for multiple tool lanyard attachment
- 4 external tool holders provide full tool tethering setup
- Constructed from heavy duty PVC which is both UV stabilised and mildew resistant
- Structurally engineered to withstand dynamic impact forces
- Easy wipe clean coating makes light work of maintenance
- Drain vents built into each pocket to keep tool bag ventilated and dry
- Universal fit with Quick Connect™ buckles for easy attachment to belt, harness or rail
- Adjustable sliding centre belt loop to improve compatibility and stability
- Unique serial number for easy identification and tracking
- CE marked
- Load tested and third-party certified (4:1 safety factor)
- Dimensions: 40cm (H) x 20cm (W) x 10cm (D)
- Capacity: 8L
- D Ring Anchor Max Load: 5KG (11lbs) Each
- Max Load: 20KG (44lbs)

MAX LOAD (SWL)

20KG / 44LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 765 Grams
 EAN (GTIN-13): 5060572180598
 HTS Code: 6307.90.9889



Third party
 tested and
 certified

See the
 Test Certificate
 on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

43151DT-NLG-160492

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
20 KG (D Ring Anchor: 5 KG)

Product:
Tall Tool Bag

Safety Factor:
5 : 1 (D Ring Anchor: 2 : 1)

Reference:
101492

Test Load:
100 KG (D Ring Anchor: 10 KG)

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
20-02-18

Position:
Senior Lab Technician

TEST RESULTS

*D Ring Anchor Test

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
2	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
3	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101492160**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101492
 DESCRIPTION: Tall Tool Bag
 LOAD RATING: 20 KG / 44 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 43151DT-NLG-160492
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com





NLG Tall Tool Bag

Product code: 101492

View online

neverletgo.com/tall-tool-bag

Get all the Product Briefs

neverletgo.com

Tool Tethering Experts
neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.