Product Brief

NLG 360 D Ring Locking Loop Tool Tether

101495





NLG 360 D Ring Locking Loop Tool Tether Product code: 101495

The NLG D Ring Locking Loop is a very versatile attachment point with a wide range of uses, from tethering individual bolts to creating a load rated tether points on long-handled tools like as nips.

The NLG D Ring Locking Loop has a wide range of uses. It can be used on individual bolts that need to rotate whilst installing, from small bolts right up to facade bolts. It's also ideal for longhandled tools, like nips, that require the rotation point further away from the tool to avoid tangling. The tried and tested D Ring Locking Loop Tether will be a valuable addition to your tool tethering equipment due to this versatility.

The clever design of the loop means that it automatically selftightens in the event of a drop and is fixed to prevent incorrect installation. The 360° D Ring stops tangling and makes it a great attachment point for rotating tools.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Unique self-tightening loop design constructed from strong climbing cord
- Tough plastic toggle for fast and secure cinching
- Robust, tangle-free 360° D Ring
- Faster visual inspections with contrast stitching
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 400mm x 25mm (cord loop: 280mm)
- Max Load: 3KG (6.6lbs)

MAX LOAD (SWL)

3KG / 6.6LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 50 Grams EAN (GTIN-13): 5060572180581 HTS Code: 5609.00.4000



Third party tested and certified

> See the Test Certificate on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-112495

Manufacturer: Max Load (WLL): PRODUCT **IDENTIFICATION** NLG 3 KG Product: Safety Factor: 360 D Ring Locking Loop Tool 2:1Tether **Reference:** Test Load: 101495 6 KG **TEST TECHNICIAN** Signature: Name: Gary Paterson Date: Position: Senior Lab Technician 20-03-17

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

 United Kingdom Accreditation Service

 Inited Kingdom Accreditation Service

 ACCREDITATION CERTIFICATE

 Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

 • Fully Equipped Laboratory for CE Type Approval Testing

 • Product Trial testing for specific tests

 • CE Technical File review and consultancy advice

 • CE Certification facilitation through a partner Notified Body

 08444 915 1111

 17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101495112

01 / Manufacturer

860 D Ring Locking Loop Tool Tether	
6.6 LBS	
b	

02 / Product

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop perfomance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-112495

ISSUED BY:	BSTL, Whittle Road			
	Ferndown Ind. Estate, BH217RL, UK			

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	25 / 04 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go

121101495112

REFERENCE NUMBER:

Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions

01 / Manufacturer

02 / Product

NAME:	NLG	CODE:	101495
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	360 D Ring Locking Loop Tool Tether
	Poole, Dorset, BH12 4NQ	LOAD RATING:	3 KG / 6.6 LBS
	United Kingdom		

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY:	(Independent third party)		
	BSTL, Whittle Road		
	Ferndown Ind. Estate, BH21 7RL, UK		
CERTIFICATE NUMBER:	43332DTA-NLG-112466		
DATE:	20-08-18		

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	13 / 09 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go



NLG 360 D Ring Locking Loop Tool Tether Product code: 101495

View online neverletgo.com/ 360-d-ring-locking-loop-tool-tether

Get all the Product Briefs neverletgo.com

Tool Tethering Experts neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.