

NLG Hammer Holster

101496



NLG Hammer Holster

PRODUCT BRIEF / 101496

Product code: 101496

The NLG Hammer Holster overcomes all the associated problems with traditional holsters and tethered tools, so now you can stop lanyards snagging when you are holstering your hammer.

The NLG Hammer Holster overcomes all the problems associated with traditional holsters when used with tethered tools. With specially developed cradle arms, it is easy to place your hammer in and quick to retrieve without the frustration of the tool lanyard catching.

The two approved anchor points allow the comfortable use of your hammer, whether left or right-handed.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Robust cradle arms to quickly catch and secure the hammer
- 2 Integrated anchor points for convenient tool lanyard attachment
- Universal fit with Quick Connect™ buckles for easy attachment to belt, or harness
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 18cm (H) x 11cm (W) x 6cm (D)
- D Ring Anchor Max Load: 5KG (11lbs)
- Max Load: 5KG (11lbs)

MAX LOAD (SWL)

5KG / 11LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA


Weight: 225 Grams
EAN (GTIN-13): 5060572180567
HTS Code: 4202.92.9890



Third party
tested and
certified

See the
Test Certificate
on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

43151DT-NLG-155496

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
5 KG

Product:
Hammer Holster

Safety Factor:
2 : 1

Reference:
101496

Test Load:
10 KG

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
23-03-17

Position:
Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101496155**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101496
 DESCRIPTION: Hammer Holster
 LOAD RATING: 5 KG / 11 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 43151DT-NLG-155496
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity

ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101496155**

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101496
 DESCRIPTION: Hammer Holster
 LOAD RATING: 5 KG / 11 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)
 BSTL, Whittle Road
 Ferndown Ind. Estate, BH21 7RL, UK
 CERTIFICATE NUMBER: 43334DTA-NLG-155466
 DATE: 22-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





NLG Hammer Holster

Product code: 101496

View online

neverletgo.com/hammer-holster/

Get all the Product Briefs

neverletgo.com

Tool Tethering Experts
neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.