
NLG Screwdriver Spin Tether™

101670





NLG Spin Tether™

Product code: 101670

The NLG Spin Tether™ is a convenient and durable way to securely tether screwdrivers of differing sizes.

The NLG Spin Tether is a screwdriver tether specifically designed to securely tether screwdrivers of differing diameters, without damaging or hindering usability of the tools.

When slotted onto the shaft of a screwdriver, the Spin Tether can be tightened to grip onto the tool, creating a super-strong hold.

INSTRUCTIONS

- 1/ Examine the screwdriver shaft and remove any dust, dirt or grease before installation.
- 2 / Unscrew the top of the spin tether to loosen grip before installation.
- 3/ Slide the Spin tether onto the screwdriver up to the desired tether point.
- 4 / Firmly tighten the top half of the tether to secure onto the tool.
- 5 / Attach screwdriver onto any secured NLG® Lanyard to complete the tethering system.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

VIDEO GUIDE

D

Watch online: neverletgo.com/spin-tether

Specification

- 1x NLG Spin Tether
- Fully adjustable, tightening application which fits shaft diameters 4mm to 9mm
- Non-conductive, non-metallic construction
- 1 size fits multiple tools. Screwdrivers, Allen Keys, Pens, etc
- Free spinning component, reduces risk of tangling
- Ergonomic grip for easy tightening
- Patent pending
- Constructed from heavy duty ABS which is both UV stabilised and mildew resistant
- Structurally engineered to withstand dynamic impact forces
- Load tested and third party certified (2:1 safety factor)
- Dimensions: 50mm (H) x 40mm (D)
- Max Load: 0.5KG (1.1lbs)

MAX LOAD (SWL)

0.5KG / 1.1 LBS


SERIAL NUMBERED


Makes the management of inspection routines and reports easy and traceable


PRODUCT DATA

Weight: 20 Grams

EAN [GTIN-13]: 5060572181021 HTS Code: xxxx.xxx.xx.x









Breathe Safety Testing Laboratory

DROP TEST CERTIFICATE

42815DT-NLG-127370

PRODUCT Manufacturer: Mex Load (WLL):

3 KG IDENTIFICATION NIG

> Product: Safety Factor:

Coll Tool Lanyard 2:1

Reference: Test Load: 101370 6 KG

TEST TECHNICIAN Signature:

Gary Paterson

Position:

Date:

Sentor Lab Technician 21-03-17

TEST RESULTS

| SAMPLE NUMBER | FACTOR 0 | FACTOR 1 DROP 1 | FACTOR 1 DROP 2 | FACTOR 1 DROP 3 | FACTOR 2 DROP 1 | FACTOR 2 DROP 2 | FACTOR 2 DROP 3 |
|------------------|----------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 1 | PASS | PASS | PASS | PASS | PASS | PASS | PASS |
| 2 | PASS | PASS | PASS | PASS | PASS | PASS | PASS |
| 3 | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

United Kingdom Accreditation Service ACCREDITATION CERTIFICATE



Baratha Cataly Carded

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
 Product Trial testing for specific tests
 CE Technical File review and consultancy advice
 CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

NEVERLETGO.COM 5

EU Declaration of Conformity

REFERENCE NUMBER: 384101273101

D1/ Menufecturer

D2 / Product

| NAME | NLS | |
|----------|-------------------------|--|
| AUDUESE: | 6 Mannings Hooth Road | |
| | Poole, Dorser, BH12 4HQ | |
| | United Kingdom | |

| COME: | 101273 |
|--------------|---------------------|
| ESERPTION: | Tether Ring, Nedium |
| LOAD BATTER: | 1 KB / 2.2 LBS |
| | |

037 Conformity

The undersigned eating on behalf of (01) above hereby. Dynamic drop performence testing conducted at 21 weight. declares that

The PPE described in (02) is in conformity with the provision and scope of our quelty control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above retorred to Personal Protective Equipment (02) is identical to the equipment independently casted and cartified by BSTL in accordance with EN 384 1992 test methods.

safety factor for tool lanyards and techer points. Stade strength testing conducted at R1 weight safety factor for containers and surage equipment.

| CERTIFICATE NUMBER: | 42814UT-NL9-101273 |
|---------------------|------------------------------------|
| MUEB BY: | BSTL, Whitde Road |
| | Ferndown Ind. Extete, 8H21 7RL, UK |

D4/ Authorised Person

I herewith cardly that the equipment identified above in (02) conforms to the requirements as detailed above:

| Muri |
|-------------------|
| Julian Aris |
| Managing Director |
| 25/ 04/18 |
| |

Tool Tethering Experts neverletgp.com





Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions REFERENCE NUMBER: 121101273101

D1/ Manufecturer

| MANE | NL6 | |
|----------|-------------------------|--|
| ANNUESE: | 6 Mannings Heath Road | |
| | Poole, Dorser, 8H12 4HQ | |
| | United Kingdom | |

02 / Product

| COME: | 101273 |
|--------------|---------------------|
| MISSERPTION: | Tether Ring, Nedium |
| LOAN NATING: | 1 MG / 2.2 LBS |
| | |

D37 Conformity

The undersigned acting on behelf of (01) above hereby declares that the product described in (02) masts all applicable requirements as stated in ANS/ISEA 121-2018.

| ANNUMER 125-21/M CONFORMITY ASSESSMENT METHOR: LEVEL1 | | |
|---|------------------------------------|--|
| TENT FACILITY: Independent third party) | | |
| | BSTL, Whitele Road | |
| | Ferndown Ind. Estate, 8H21 7FL, UK | |
| CERTIFICATE MUNICE: | 43332DTA-NLG-101486 | |
| BATE: | 20-08-15 | |

D4/ Authorised Person

i herewith certify that the equipment identified above in (02) conforms to the requirements as detailed above:

| SECTE: | Ami |
|-----------|-------------------|
| MANE | Julian Aria |
| POSITION: | Managing Director |
| MATE: | 13 / 09 / 18 |

Tool Tethering Experts neverletgo.com





NEVERLETGO.COM 7



NLG Spin Tether™ Product code: 101670

View online neverletgo.com/spin-tether

Get all the Product Briefs neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.